





- ประสิทธิภาพของรูปสมุนไพรต่อการตายของตัวเต็มวัยแมลงวันบ้าน (*Musca domestica* L.: Diptera)
- ผลของแชมพูสมุนไพรในการป้องกันกำจัดเหามนุษย์ กรณีศึกษาในโรงเรียนวัดราชโกษา เขตลาดกระบัง กรุงเทพฯ
- การใช้สารสกัดจากพืชป้องกันกำจัดแมลงวันแตง (*Bactrocera cucurbitae* (Coquillett); Diptera: Tephritidae)
- การสำรวจแมงมุมในบริเวณมินามิอะโสะ เมืองคูมาโมโตะ ประเทศญี่ปุ่น
- ความคิดเห็น และความต้องการจัดการเหามนุษย์ในผู้ปกครองนักเรียน
- ประสิทธิภาพของพืชท้องถิ่นที่มีผลต่อหนอนกระทู้ผัก (*Spodoptera litura* (F.))
- ประสิทธิภาพของน้ำมันหอมระเหยจากพืชที่มีผลต่อเพลี้ยอ่อน *Aphis* sp.
- ผลการตายและการไล่จากพืชสมุนไพรต่อการควบคุมเพลี้ยแป้ง *Rastrococcus* sp.
- ผลของอาหาร 4 ชนิดต่อน้ำหนักรูหนอนนก (*Tenebrio molitor* L.)
- Insecticidal effect of herbal shampoo against human head louse under laboratory condition.
- Effect of herbal shampoo from long pepper fruit extract to control human head louse of the Ladkrabang Children.
- Epidemiology of pediculosis capitis among schoolchildren in the eastern area of Bangkok.
- Pediculicidal activity of herbal shampoo from zingiberaceae against human head louse (*Pediculus humanus capitis* De Geer).
- In vitro pediculicidal activity of herbal shampoo base on Thai local plants against head louse (*Pediculus humanus capitis* De Geer).
- Pediculicidal effect of herbal shampoo against *Pediculus humanus capitis* in vitro.

ลิขสิทธิ์ของมหาวิทยาลัยราชภัฏรำไพพรรณี