

บรรณานุกรม

- ศิริกาญจน์ กอบเกียรติถวิล. (2554). การโคลนและศึกษาการแสดงออกของยีนเลคตินจากกล้วยไม้สกุลสิงโต. มหาวิทยาลัยเกษตรศาสตร์/กรุงเทพฯ.
- องค์การสวนพฤกษศาสตร์. (2561). กล้วยไม้ในวงศ์ Orchidaceae. (ออนไลน์). แหล่งที่มา : http://www.qsbg.org/database/botanic_book%20full%20option/Search_show_byfam.asp?family_id=ORCHIDACEAE. 19 ธันวาคม 2561.
- Biswas, S., Pardeshi, R., Reddy, N.D., Shoja, M.H., Nayak, P.G., Setty, M.M. and Pai, K.S.R. (2016). *Bulbophyllum* sterile petroleum ether fraction induces apoptosis *in vitro* and ameliorates tumor progression *in vivo*. **Biomedicine & Pharmacotherapy**, 84, 1419-1427.
- Carreras, J., Gopakumar, G., Gu, L., Gimeno, A., Linowski, P., Petuskova, J., Thiel, W. and Alcarazo, M. (2013). Polycationic ligands in gold catalysis: synthesis and applications of extremely π -acidic catalysts. **Journal of the American Chemical Society**, 135(50), 18815-18823.
- Chen, C.C., Wu, L.G., Ko, F.N. and Teng, C.M. (1994). Antiplatelet aggregation principles of *Dendrobium loddigesii*. **Journal of natural products**, 57(9), 1271-1274.
- Chen, Y., Xu, J., Yu, H., Qing, C., Zhang, Y., Wang, L., Liu, Y. and Wang, J. (2008). Cytotoxic phenolics from *Bulbophyllum odoratissimum*. **Food Chemistry**, 107(1), 169-173.
- Chin, Y.W., Balunas, M.J., Chai, H.B. and Kinghorn, A.D. (2006). Drug discovery from natural sources. **The AAPS journal**, 8(2), E239-E253.
- Chinsamy, M., Finnie, J.F. and Staden, J.V. (2014). Anti-inflammatory, antioxidant, anti-cholinesterase activity and mutagenicity of South African medicinal orchids. **South African Journal of Botany**, 91, 88-98.
- Cragg, G.M., Newman, D.J. and Yang, S.S. (2006). Natural product extracts of plant and marine origin having antileukemia potential. The NCI experience. **Journal of Natural Products**, 69(3), 488-498.

- da Silva, U.F., Borba, E.L., Semir, J. and Marsaioli, A.J. (1999). A simple solid injection device for the analyses of *Bulbophyllum* (Orchidaceae) volatiles. **Phytochemistry**, 50(1), 31-34.
- Ehrlich, P. (1909). On the present state of chemotherapy. **Ber Dtsch Chem Ges**, 42, 17-47.
- Estrada, S., Toscano, R.A. and Mata, R. (1999). New phenanthrene derivatives from *Maxillaria densa*. **Journal of Natural Products**, 62(8), 1175-1178.
- Gfeller, D., Grosdidier, A., Wirth, M., Daina, A., Michielin, O. and Zoete, V. (2014). SwissTargetPrediction: a web server for target prediction of bioactive small molecules. **Nucleic acids research**, 42(W1), W32-W38.
- Grifo, F., Newman, D., Fairfield, A.S., Bhattacharya, B. and Grupenhoff, J.T. (1997). The origins of prescription drugs. **Biodiversity and human health**, 131-163.
- Hossain, M.M. (2011). Therapeutic orchids: traditional uses and recent advances-an overview. **Fitoterapia**, 82(2), 102-140.
- Hosseini, S., Dadkhah, K. and Go, R. (2016). Molecular systematics of genus *Bulbophyllum* (Orchidaceae) in Peninsular Malaysia based on combined nuclear and plastid DNA sequences. **Biochemical Systematics and Ecology**, 65, 40-48.
- Irwin, R.E., Cook, D., Richardson, L.L., Manson, J.S. and Gardner, D.R. (2014). Secondary compounds in floral rewards of toxic rangeland plants: impacts on pollinators. **Journal of Agricultural and Food Chemistry**, 62(30), 7335-7344.
- Jiang, F., Li, M., Wang, H., Ding, B., Zhang, C., Ding, Z., Yu, X. and Lv, G. (2019). Coelonin, an anti-inflammation active component of *Bletilla striata* and its potential mechanism. **International journal of molecular sciences**, 20(18), 4422.
- Keiser, M.J., Roth, B.L., Armbruster, B.N., Ernsberger, P., Irwin, J.J. and Shoichet, B.K. (2007). Relating protein pharmacology by ligand chemistry. **Nature biotechnology**, 25(2), 197-206.

- Kolšek, K., Mavri, J., Sollner Dolenc, M., Gobec, S. and Turk, S. (2014). Endocrine disruptome—an open source prediction tool for assessing endocrine disruption potential through nuclear receptor binding. **Journal of Chemical Information and Modeling**, 54, 1254-1267.
- Kovács, A., Vasas, A., and Hohmann, J. (2008). Natural phenanthrenes and their biological activity. **Phytochemistry**, 69(5), 1084-1110.
- Lagunin, A., Stepanchikova, A., Filimonov, D. and Poroikov, V. (2000). PASS: prediction of activity spectra for biologically active substances. **Bioinformatics**, 16(8), 747-748.
- Leong, Y.W. and Harrison, L.J. (2004). A Biphenanthrene and a Phenanthro [4, 3-b] furan from the Orchid *Bulbophyllum vaginatum*. **Journal of natural products**, 67(9), 1601-1603.
- Leong, Y.W., Kang, C.C., Harrison, L.J. and Powell, A.D. (1997). Phenanthrenes, dihydrophenanthrenes and bibenzyls from the orchid *Bulbophyllum vaginatum*. **Phytochemistry**, 44(1), 157-165.
- Lin, J., Zhang, W., Jiang, N., Niu, Z., Bao, K., Zhang, L., Liu, D., Pan, C. and Yao, X. (2008). Total synthesis of Bulbophyllol B. **Journal of Natural Products**, 71(11), 1938-1941.
- Liu, X., Ouyang, S., Yu, B., Liu, Y., Huang, K., Gong, J., Zheng, S., Li, Z., Li, H. and Jiang, H. (2010). PharmMapper server: a web server for potential drug target identification using pharmacophore mapping approach. **Nucleic acids research**, 38, W609-W614.
- Majumder, P.L., Pal, S. and Majumder, S. (1999). Dimeric phenanthrenes from the orchid *Bulbophyllum reptans*. **Phytochemistry**, 50(5), 891-897.
- Majumder, P.L. and Sen, R.C. (1991). Bulbophyllanthrone, a phenanthraquinone from *Bulbophyllum odoratissimum*. **Phytochemistry**, 30(6), 2092-2094.
- Mayr, F. (2017). **Master degree thesis**. University of Innsbruck.
- National Center for Biotechnology Information. (2020). National Library of Medicine. (ออนไลน์). แหล่งที่มา : <https://pubchem.ncbi.nlm.nih.gov>. 1 September 2020.

- Nopo-Olazabal, C., Hubstenberger, J., Nopo-Olazabal, L. and Medina-Bolivar, F. (2013). Antioxidant activity of selected stilbenoids and their bioproduction in hairy root cultures of muscadine grape (*Vitis rotundifolia* Michx.). **Journal of agricultural and food chemistry**, 61(48), 11744-11758.
- Paul, S.M., Mytelka, D.S., Dunwiddie, C.T., Persinger, C.C., Munos, B.H., Lindborg, S.R. and Schacht, A.L. (2010). How to improve R&D productivity: the pharmaceutical industry's grand challenge. **Nature reviews Drug discovery**, 9(3), 203-214.
- Rollinger, J.M., Schuster, D., Danzl, B., Schwaiger, S., Markt, P., Schmidtke, M., Gertsch, J., Raduner, S., Wolber, G., Langer, T. and Stuppner, H. (2009). *In silico* target fishing for rationalized ligand discovery exemplified on constituents of *Ruta graveolens*. **Planta medica**, 75(03), 195-204.
- Tan, K.H. and Nishida, R. (2007). Zingerone in the floral synomone of *Bulbophyllum baileyi* (Orchidaceae) attracts *Bactrocera* fruit flies during pollination. **Biochemical Systematics and Ecology**, 35(6), 334-341.
- Tani, N. (2013). Cytochrome P450-selective prodrugs and inhibitors. **University of Eastern Finland**, Kuopio, p. 133.
- Trosien, S. and Waldvogel, S.R. (2012). Synthesis of highly functionalized 9, 10-phenanthrenequinones by oxidative coupling using MoCl₅. **Organic letters**, 14(12), 2976-2979.
- Wolber, G. and Langer, T. (2005). LigandScout: 3-D pharmacophores derived from protein-bound ligands and their use as virtual screening filters. **Journal of chemical information and modeling**, 45(1), 160-169.
- Xu, J., Yu, H., Qing, C., Zhang, Y., Liu, Y. and Chen, Y. (2009). Two new biphenanthrenes with cytotoxic activity from *Bulbophyllum odoratissimum*. **Fitoterapia**, 80(7), 381-384.
- Yang, L., Wang, Z. and Xu, L. (2006). Simultaneous determination of phenols (bibenzyl, phenanthrene, and fluorenone) in *Dendrobium* species by high-performance

liquid chromatography with diode array detection. **Journal of Chromatography A**, 1104(1-2), 230-237.

Zhao, N.D., Yang, G.Y., Zhang, Y., Chen, L.J. and Chen, Y.G. (2015). Stilbenoids from *Bulbophyllum emarginatum* (Orchidaceae). **Biochemical Systematics and Ecology**, (58), 285-287.

Zhou, X.M., Zheng, C.J., Gan, L.S., Chen, G.Y., Zhang, X.P., Song, X.P., Li G.N. and Sun, C. G. (2016). Bioactive phenanthrene and bibenzyl derivatives from the stems of *Dendrobium nobile*. **Journal of natural products**, 79(7), 1791-1797.



ลิขสิทธิ์ของมหาวิทยาลัยราชภัฏรำไพพรรณี